



Product Service

CERTIFICATE

No. Z1A 15 03 91172 004

Holder of Certificate: CAGSAN MERDIVEN VE ERISIM EKIPMANLARI
SANAYI TICARET LIMITED SIRKETI

Dilovasi O.S.B. 3 Kisim Meriç Cad. 1
41455 MUALLIM KÖYÜ - GEBZE, KOCAELI
TURKEY

Certification Mark:



Product:

Extending Ladders

**Tested
according to:**

DIN EN 131-1:2011
DIN EN 131-2:2012
DIN EN 131-3:2007
PPP 52102C:2012
AfPS GS 2014:01 PAK

The product meets the safety and health requirements of the German Product Safety Act section 20 to 22 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. See also notes overleaf.

Test report no.: MEC15019.00

Valid until: 2020-03-09



Date, 2015-03-10

(Gianpaolo Mensa)

Page 1 of 3



Product Service

CERTIFICATE

No. Z1A 15 03 91172 004

Model(s):

TS6040, TS6050, TS6, TS7, TS8, TS9, TS10,
TS10011, TS10012 (2-parts extending ladders);
TS6060, TS075, TS090, TS105, TS120
(3-parts extending ladders); M1006, M1007, M1008,
M1009, M10010, M10011, M10012 (Rope operated
extending ladders)

Parameters:

TS6040, TS6050, TS6, TS7, TS8, TS9, TS10,
TS10011, TS10012 (2-parts extending ladders):

Stile: 63 x 25 x 1,3 mm (TS6040 , TS6050)
75 x 25 x 1,3 mm (TS6, TS7, TS8,
TS9, TS10)
100 x 25 x 1,5 mm (TS10011, TS10012)
Stile Material: EN AW-6063
Rung: 30 x 30 x 1,3 mm
Rung Material: EN AW-6063

TS6060, TS075, TS090, TS105, TS120
(3-parts extending ladders):

Stile: 63 x 25 x 1,3 mm (TS6060)
75 x 25 x 1,3 mm (TS075, TS090,
TS105, TS120)
Stile Material: EN AW-6063
Rung: 30 x 30 x 1,3 mm
Rung Material: EN AW-6063


M1006, M1007, M1008, M1009, M10010, M10011, M10012
(Rope operated extending ladders):

Stile: 75 x 25 x 1,3 mm (M1006, M1007, M1008)
100 x 25 x 1,5 mm (M1009, M10010,
M10011, M10012)
Stile Material: EN AW-6063
Rung: 30 x 30 x 1,3 mm
Rung Material: EN AW-6063

Note:
See attachment for further details

Factory(ies):

91172



Product Service



Product Service


**Attachment to
CERTIFICATE**

No. Z1A 15 03 91172 004

Model	No. of rungs	Max. lenght extending configuration (mm)
2-parts extending ladders		
TS6040	2 x 6	3000
TS6050	2 x 8	4120
TS6	2 x 10	4930
TS7	2 x 12	6060
TS8	2 x 14	6890
TS9	2 x 15	7470
TS10	2 x 17	8590
TS10011	2 x 19	9720
TS10012	2 x 21	9970
3-parts extending ladders		
TS6060	3 x 6	3906
TS075	3 x 8	5480
TS090	3 x 10	6515
TS105	3 x 12	8105
TS120	3 x 14	9145
Rope operated extending ladder		
M1006	2 x 10	4660
M1007	2 x 12	6060
M1008	2 x 14	6890
M1009	2 x 15	7500
M10010	2 x 17	8590
M10011	2 x 19	9720
M10012	2 x 21	10280

Date, 2015-03-10

Page 3 of 3



Product Service



Product Service

ZERTIFIKAT

Nr. Z1A 15 03 91172 004

Zertifikatsinhaber: CAGSAN MERDIVEN VE ERISIM EKIPMANLARI
SANAYI TICARET LIMITED SIRKETI
Dilovasi O.S.B. 3 Kisim Meriç Cad. 1
41455 MUALLIM KÖYÜ - GEBZE, KOCAELI
TÜRKEI

Prüfzeichen:



Produkt: Schiebeleitern

Geprüft nach: DIN EN 131-1:2011
DIN EN 131-2:2012
DIN EN 131-3:2007
PPP 52102C:2012
AfPS GS 2014:01 PAK

Das Produkt entspricht hinsichtlich der Gewährleistung von Sicherheit und Gesundheit den Anforderungen des deutschen Produktsicherheitsgesetzes § 20 bis 22 ProdSG. Es kann mit den oben abgebildeten Prüfzeichen gekennzeichnet werden. Eine Veränderung der Darstellung der Prüfzeichen ist nicht erlaubt. Die Übertragung eines Zertifikates durch den Zertifikatsinhaber an Dritte ist unzulässig. Das Zertifikat ist gültig bis zum angegebenen Zeitpunkt, sofern es nicht früher gekündigt wird. Umseitige Hinweise sind zu beachten.

Prüfbericht Nr.: MEC15019.00

Gültig bis: 2020-03-09



Datum, 2015-03-10

(Gianpaolo Mensa)

Seite 1 von 3



Product Service

ZERTIFIKAT
Nr. Z1A 15 03 91172 004

Modell(e): **TS6040, TS6050, TS6, TS7, TS8, TS9, TS10, TS10011, TS10012 (2-teilige Schiebeleitern); TS6060, TS075, TS090, TS105, TS120 (3-teilige Schiebeleitern); M1006, M1007, M1008, M1009, M10010, M10011, M10012 (Schiebeleitern mit Seilzug)**

Kenndaten: TS6040, TS6050, TS6, TS7, TS8, TS9, TS10, TS10011, TS10012 (2-teilige Schiebeleitern):

Holm: 63 x 25 x 1,3 mm (TS6040 , TS6050)
 75 x 25 x 1,3 mm (TS6, TS7, TS8, TS9, TS10)
 100 x 25 x 1,5 mm (TS10011, TS10012)
Holm Material: EN AW-6063
Sprosse: 30 x 30 x 1,3 mm
Sprosse Material: EN AW-6063

TS6060, TS075, TS090, TS105, TS120 (3-teilige Schiebeleitern):

Holm: 63 x 25 x 1,3 mm (TS6060)
 75 x 25 x 1,3 mm (TS075, TS090, TS105, TS120)
Holm Material: EN AW-6063
Sprosse: 30 x 30 x 1,3 mm
Sprosse Material: EN AW-6063


M1006, M1007, M1008, M1009, M10010, M10011, M10012 (Schiebeleitern mit Seilzug):

Holm: 75 x 25 x 1,3 mm (M1006, M1007, M1008)
 100 x 25 x 1,5 mm (M1009, M10010, M10011, M10012)
Holm Material: EN AW-6063
Sprosse: 30 x 30 x 1,3 mm
Sprosse Material: EN AW-6063

Bemerkung:
 Siehe Anlage für weitere Angaben

**Produktions-
 stätte(n):** 91172

Seite 2 von 3



Product Service



Product Service

Anlage zu


ZERTIFIKAT

Nr. Z1A 15 03 91172 004

Modell	Sprossenanzahl	Anlegeleiter Konfiguration Max.Länge (mm)
2-teilige Schiebeleitern		
TS6040	2 x 6	3000
TS6050	2 x 8	4120
TS6	2 x 10	4930
TS7	2 x 12	6060
TS8	2 x 14	6890
TS9	2 x 15	7470
TS10	2 x 17	8590
TS10011	2 x 19	9720
TS10012	2 x 21	9970
3-teilige Schiebeleitern		
TS6060	3 x 6	3906
TS075	3 x 8	5480
TS090	3 x 10	6515
TS105	3 x 12	8105
TS120	3 x 14	9145
Schiebeleitern mit Seilzug		
M1006	2 x 10	4660
M1007	2 x 12	6060
M1008	2 x 14	6890
M1009	2 x 15	7500
M10010	2 x 17	8590
M10011	2 x 19	9720
M10012	2 x 21	10280

Datum, 2015-03-10

Seite 3 von 3



Product Service